

Road Name	Section Code	XSP	Start Metres	End Metres	Scrim Site Category	Characteristic Skid Coefficient	Scrim Investigatory Level	Scrim Difference	Survey Date
A9	10434/25	CL1	1320	1420	Single Non-Event (CM)	0.4	0.4	0	26-Jun-17
A9	10434/25	CL1	1420	1520	Single Non-Event (CM)	0.41	0.4	0.01	26-Jun-17
A9	10434/25	CL1	1520	1620	Single Non-Event (CM)	0.41	0.4	0.01	26-Jun-17
A9	10434/25	CL1	1620	1720	Single Non-Event (CM)	0.36	0.4	-0.04	26-Jun-17
A9	10434/25	CL1	1720	1820	Single Non-Event (CM)	0.39	0.4	-0.01	26-Jun-17
A9	10434/25	CL1	1820	1920	Single Non-Event (CM)	0.43	0.4	0.03	26-Jun-17
A9	10434/25	CL1	1920	2020	Single Non-Event (CM)	0.46	0.4	0.06	26-Jun-17
A9	10434/25	CL1	2020	2120	Single Non-Event (CM)	0.47	0.4	0.07	26-Jun-17
A9	10434/25	CL1	2120	2220	Single Non-Event (CM)	0.47	0.4	0.07	26-Jun-17
A9	10434/25	CL1	2220	2320	Single Non-Event (CM)	0.45	0.4	0.05	26-Jun-17
A9	10434/25	CL1	2320	2420	Single Non-Event (CM)	0.46	0.4	0.06	26-Jun-17
A9	10434/25	CL1	2420	2520	Single Non-Event (CM)	0.46	0.4	0.06	26-Jun-17
A9	10434/25	CL1	2520	2620	Single Non-Event (CM)	0.46	0.4	0.06	26-Jun-17
A9	10434/25	CL1	2620	2720	Single Non-Event (CM)	0.41	0.4	0.01	26-Jun-17
A9	10434/25	CL1	2720	2820	Single Non-Event (CM)	0.36	0.4	-0.04	26-Jun-17
A9	10434/25	CL1	2820	2920	Single Non-Event (CM)	0.36	0.4	-0.04	26-Jun-17
A9	10434/25	CL1	2920	3020	Single Non-Event (CM)	0.37	0.4	-0.03	26-Jun-17
A9	10434/25	CL1	3020	3120	Single Non-Event (CM)	0.37	0.4	-0.03	26-Jun-17
A9	10434/25	CL1	3120	3220	Single Non-Event (CM)	0.37	0.4	-0.03	26-Jun-17
A9	10434/25	CL1	3220	3320	Single Non-Event (CM)	0.38	0.4	-0.02	26-Jun-17
A9	10434/25	CL1	3320	3420	Single Non-Event (CM)	0.33	0.4	-0.07	26-Jun-17
A9	10434/25	CL1	3420	3500	Single Non-Event (CM)	0.33	0.4	-0.07	26-Jun-17
A9	10434/25	CL1	3500	3570	Approach to Junction or Roundabout (QM)	0.38	0.5	-0.12	26-Jun-17
A9	10434/25	CL1	3570	3670	Single Non-Event (CM)	0.37	0.4	-0.03	26-Jun-17
A9	10434/25	CL1	3670	3770	Single Non-Event (CM)	0.46	0.4	0.06	26-Jun-17
A9	10434/25	CL1	3770	3870	Single Non-Event (CM)	0.39	0.4	-0.01	26-Jun-17
A9	10434/25	CL1	3870	3970	Single Non-Event (CM)	0.37	0.4	-0.03	26-Jun-17
A9	10434/25	CL1	3970	4070	Single Non-Event (CM)	0.38	0.4	-0.02	26-Jun-17
A9	10434/25	CL1	4070	4170	Single Non-Event (CM)	0.34	0.4	-0.06	26-Jun-17
A9	10434/25	CL1	4170	4270	Single Non-Event (CM)	0.38	0.4	-0.02	26-Jun-17
A9	10434/25	CL1	4270	4370	Single Non-Event (CM)	0.37	0.4	-0.03	26-Jun-17
A9	10434/25	CL1	4370	4430	Approach to Junction or Roundabout (QM)	0.32	0.5	-0.18	26-Jun-17
A9	10434/25	CL1	4430	4530	Single Non-Event (CM)	0.35	0.4	-0.05	26-Jun-17
A9	10434/25	CL1	4530	4630	Single Non-Event (CM)	0.38	0.4	-0.02	26-Jun-17
A9	10434/25	CL1	4630	4730	Single Non-Event (CM)	0.42	0.4	0.02	26-Jun-17
A9	10434/25	CL1	4730	4830	Single Non-Event (CM)	0.46	0.4	0.06	26-Jun-17
A9	10434/25	CL1	4830	4930	Single Non-Event (CM)	0.47	0.4	0.07	26-Jun-17
A9	10434/25	CL1	4930	4970	Single Non-Event (CM)	0.47	0.4	0.07	26-Jun-17
A9	10434/25	CL1	4970	5050	Approach to Junction or Roundabout (QM)	0.47	0.5	-0.03	26-Jun-17
A9	10434/25	CL1	5050	5150	Single Non-Event (CM)	0.46	0.4	0.06	26-Jun-17
A9	10434/25	CL1	5150	5220	Single Non-Event (CM)	0.46	0.4	0.06	26-Jun-17
A9	10434/25	CL1	5220	5280	Approach to Junction or Roundabout (QM)	0.45	0.5	-0.05	26-Jun-17
A9	10434/25	CR1	1320	1370	Single Non-Event (CM)	0.42	0.4	0.02	26-Jun-17
A9	10434/25	CR1	1370	1470	Single Non-Event (CM)	0.42	0.4	0.02	26-Jun-17
A9	10434/25	CR1	1470	1570	Single Non-Event (CM)	0.43	0.4	0.03	26-Jun-17
A9	10434/25	CR1	1570	1670	Single Non-Event (CM)	0.41	0.4	0.01	26-Jun-17
A9	10434/25	CR1	1670	1770	Single Non-Event (CM)	0.36	0.4	-0.04	26-Jun-17
A9	10434/25	CR1	1770	1870	Single Non-Event (CM)	0.33	0.4	-0.07	26-Jun-17
A9	10434/25	CR1	1870	1970	Single Non-Event (CM)	0.45	0.4	0.05	26-Jun-17
A9	10434/25	CR1	1970	2070	Single Non-Event (CM)	0.4	0.4	0	26-Jun-17
A9	10434/25	CR1	2070	2170	Single Non-Event (CM)	0.44	0.4	0.04	26-Jun-17
A9	10434/25	CR1	2170	2270	Single Non-Event (CM)	0.46	0.4	0.06	26-Jun-17
A9	10434/25	CR1	2270	2370	Single Non-Event (CM)	0.43	0.4	0.03	26-Jun-17
A9	10434/25	CR1	2370	2470	Single Non-Event (CM)	0.43	0.4	0.03	26-Jun-17
A9	10434/25	CR1	2470	2570	Single Non-Event (CM)	0.44	0.4	0.04	26-Jun-17
A9	10434/25	CR1	2570	2670	Single Non-Event (CM)	0.45	0.4	0.05	26-Jun-17
A9	10434/25	CR1	2670	2770	Single Non-Event (CM)	0.35	0.4	-0.05	26-Jun-17
A9	10434/25	CR1	2770	2870	Single Non-Event (CM)	0.36	0.4	-0.04	26-Jun-17
A9	10434/25	CR1	2870	2970	Single Non-Event (CM)	0.39	0.4	-0.01	26-Jun-17
A9	10434/25	CR1	2970	3070	Single Non-Event (CM)	0.34	0.4	-0.06	26-Jun-17
A9	10434/25	CR1	3070	3170	Single Non-Event (CM)	0.38	0.4	-0.02	26-Jun-17
A9	10434/25	CR1	3170	3270	Single Non-Event (CM)	0.4	0.4	0	26-Jun-17
A9	10434/25	CR1	3270	3370	Single Non-Event (CM)	0.41	0.4	0.01	26-Jun-17
A9	10434/25	CR1	3370	3470	Single Non-Event (CM)	0.37	0.4	-0.03	26-Jun-17
A9	10434/25	CR1	3470	3550	Single Non-Event (CM)	0.35	0.4	-0.05	26-Jun-17
A9	10434/25	CR1	3550	3620	Approach to Junction or Roundabout (QM)	0.34	0.5	-0.16	26-Jun-17
A9	10434/25	CR1	3620	3720	Single Non-Event (CM)	0.36	0.4	-0.04	26-Jun-17
A9	10434/25	CR1	3720	3820	Single Non-Event (CM)	0.35	0.4	-0.05	26-Jun-17
A9	10434/25	CR1	3820	3920	Single Non-Event (CM)	0.35	0.4	-0.05	26-Jun-17
A9	10434/25	CR1	3920	4020	Single Non-Event (CM)	0.35	0.4	-0.05	26-Jun-17
A9	10434/25	CR1	4020	4120	Single Non-Event (CM)	0.37	0.4	-0.03	26-Jun-17
A9	10434/25	CR1	4120	4220	Single Non-Event (CM)	0.34	0.4	-0.06	26-Jun-17
A9	10434/25	CR1	4220	4320	Single Non-Event (CM)	0.32	0.4	-0.08	26-Jun-17
A9	10434/25	CR1	4320	4420	Single Non-Event (CM)	0.34	0.4	-0.06	26-Jun-17
A9	10434/25	CR1	4420	4480	Approach to Junction or Roundabout (QM)	0.35	0.5	-0.15	26-Jun-17
A9	10434/25	CR1	4480	4580	Single Non-Event (CM)	0.33	0.4	-0.07	26-Jun-17
A9	10434/25	CR1	4580	4680	Single Non-Event (CM)	0.32	0.4	-0.08	26-Jun-17
A9	10434/25	CR1	4680	4780	Single Non-Event (CM)	0.41	0.4	0.01	26-Jun-17
A9	10434/25	CR1	4780	4880	Single Non-Event (CM)	0.42	0.4	0.02	26-Jun-17
A9	10434/25	CR1	4880	4980	Single Non-Event (CM)	0.42	0.4	0.02	26-Jun-17
A9	10434/25	CR1	4980	5030	Single Non-Event (CM)	0.42	0.4	0.02	26-Jun-17
A9	10434/25	CR1	5030	5100	Approach to Junction or Roundabout (QM)	0.45	0.5	-0.05	26-Jun-17
A9	10434/25	CR1	5100	5200	Single Non-Event (CM)	0.45	0.4	0.05	26-Jun-17
A9	10434/25	CR1	5200	5270	Single Non-Event (CM)	0.45	0.4	0.05	26-Jun-17
A9	10434/25	CR1	5270	5280	Approach to Junction or Roundabout (QM)	0.46	0.5	-0.04	26-Jun-17
A9	10434/68	CL1	0	10	Approach to Junction or Roundabout (QM)	0.46	0.5	-0.04	26-Jun-17
A9	10434/68	CL1	10	110	Single Non-Event (CM)	0.45	0.4	0.05	26-Jun-17
A9	10434/68	CL1	110	210	Single Non-Event (CM)	0.48	0.4	0.08	26-Jun-17
A9	10434/68	CL1	210	310	Single Non-Event (CM)	0.43	0.4	0.03	26-Jun-17

A9	10434/68	CL1	310	410	Single Non-Event (CM)	0.36	0.4	-0.04	26-Jun-17
A9	10434/68	CL1	410	510	Single Non-Event (CM)	0.3	0.4	-0.1	26-Jun-17
A9	10434/68	CL1	510	610	Single Non-Event (CM)	0.32	0.4	-0.08	26-Jun-17
A9	10434/68	CL1	610	710	Single Non-Event (CM)	0.32	0.4	-0.08	26-Jun-17
A9	10434/68	CL1	710	810	Single Non-Event (CM)	0.32	0.4	-0.08	26-Jun-17
A9	10434/68	CL1	810	910	Single Non-Event (CM)	0.34	0.4	-0.06	26-Jun-17
A9	10434/68	CL1	910	1010	Single Non-Event (CM)	0.36	0.4	-0.04	26-Jun-17
A9	10434/68	CL1	1010	1020	Single Non-Event (CM)	0.71	0.4	0.31	26-Jun-17
A9	10434/68	CL1	1020	1090	Approach to Junction or Roundabout (QM)	0.71	0.5	0.21	26-Jun-17
A9	10434/68	CL1	1090	1190	Single Non-Event (CM)	0.53	0.4	0.13	26-Jun-17
A9	10434/68	CL1	1190	1290	Single Non-Event (CM)	0.35	0.4	-0.05	26-Jun-17
A9	10434/68	CL1	1290	1390	Single Non-Event (CM)	0.37	0.4	-0.03	26-Jun-17
A9	10434/68	CL1	1390	1490	Single Non-Event (CM)	0.38	0.4	-0.02	26-Jun-17
A9	10434/68	CL1	1490	1590	Single Non-Event (CM)	0.39	0.4	-0.01	26-Jun-17
A9	10434/68	CL1	1590	1690	Single Non-Event (CM)	0.35	0.4	-0.05	26-Jun-17
A9	10434/68	CL1	1690	1790	Single Non-Event (CM)	0.38	0.4	-0.02	26-Jun-17
A9	10434/68	CL1	1790	1890	Single Non-Event (CM)	0.35	0.4	-0.05	26-Jun-17
A9	10434/68	CL1	1890	1990	Single Non-Event (CM)	0.35	0.4	-0.05	26-Jun-17
A9	10434/68	CL1	1990	2090	Single Non-Event (CM)	0.32	0.4	-0.08	26-Jun-17
A9	10434/68	CL1	2090	2190	Single Non-Event (CM)	0.34	0.4	-0.06	26-Jun-17
A9	10434/68	CL1	2190	2290	Single Non-Event (CM)	0.36	0.4	-0.04	26-Jun-17
A9	10434/68	CL1	2290	2390	Single Non-Event (CM)	0.36	0.4	-0.04	26-Jun-17
A9	10434/68	CL1	2390	2490	Single Non-Event (CM)	0.35	0.4	-0.05	26-Jun-17
A9	10434/68	CL1	2490	2590	Single Non-Event (CM)	0.36	0.4	-0.04	26-Jun-17
A9	10434/68	CL1	2590	2690	Single Non-Event (CM)	0.36	0.4	-0.04	26-Jun-17
A9	10434/68	CL1	2690	2790	Single Non-Event (CM)	0.37	0.4	-0.03	26-Jun-17
A9	10434/68	CL1	2790	2890	Single Non-Event (CM)	0.36	0.4	-0.04	26-Jun-17
A9	10434/68	CL1	2890	2990	Single Non-Event (CM)	0.34	0.4	-0.06	26-Jun-17
A9	10434/68	CL1	2990	3090	Single Non-Event (CM)	0.38	0.4	-0.02	26-Jun-17
A9	10434/68	CL1	3090	3190	Single Non-Event (CM)	0.37	0.4	-0.03	26-Jun-17
A9	10434/68	CL1	3190	3290	Single Non-Event (CM)	0.36	0.4	-0.04	26-Jun-17
A9	10434/68	CL1	3290	3350	Single Non-Event (CM)	0.37	0.4	-0.03	26-Jun-17
A9	10434/68	CR1	0	60	Approach to Junction or Roundabout (QM)	0.45	0.5	-0.05	26-Jun-17
A9	10434/68	CR1	60	160	Single Non-Event (CM)	0.48	0.4	0.08	26-Jun-17
A9	10434/68	CR1	160	260	Single Non-Event (CM)	0.45	0.4	0.05	26-Jun-17
A9	10434/68	CR1	260	360	Single Non-Event (CM)	0.37	0.4	-0.03	26-Jun-17
A9	10434/68	CR1	360	460	Single Non-Event (CM)	0.34	0.4	-0.06	26-Jun-17
A9	10434/68	CR1	460	560	Single Non-Event (CM)	0.34	0.4	-0.06	26-Jun-17
A9	10434/68	CR1	560	660	Single Non-Event (CM)	0.32	0.4	-0.08	26-Jun-17
A9	10434/68	CR1	660	760	Single Non-Event (CM)	0.35	0.4	-0.05	26-Jun-17
A9	10434/68	CR1	760	860	Single Non-Event (CM)	0.34	0.4	-0.06	26-Jun-17
A9	10434/68	CR1	860	960	Single Non-Event (CM)	0.32	0.4	-0.08	26-Jun-17
A9	10434/68	CR1	960	1060	Single Non-Event (CM)	0.47	0.4	0.07	26-Jun-17
A9	10434/68	CR1	1060	1070	Single Non-Event (CM)	0.66	0.4	0.26	26-Jun-17
A9	10434/68	CR1	1070	1140	Approach to Junction or Roundabout (QM)	0.69	0.5	0.19	26-Jun-17
A9	10434/68	CR1	1140	1240	Single Non-Event (CM)	0.41	0.4	0.01	26-Jun-17
A9	10434/68	CR1	1240	1340	Single Non-Event (CM)	0.41	0.4	0.01	26-Jun-17
A9	10434/68	CR1	1340	1440	Single Non-Event (CM)	0.4	0.4	0	26-Jun-17
A9	10434/68	CR1	1440	1540	Single Non-Event (CM)	0.43	0.4	0.03	26-Jun-17
A9	10434/68	CR1	1540	1640	Single Non-Event (CM)	0.39	0.4	-0.01	26-Jun-17
A9	10434/68	CR1	1640	1740	Single Non-Event (CM)	0.3	0.4	-0.1	26-Jun-17
A9	10434/68	CR1	1740	1840	Single Non-Event (CM)	0.29	0.4	-0.11	26-Jun-17
A9	10434/68	CR1	1840	1940	Single Non-Event (CM)	0.33	0.4	-0.07	26-Jun-17
A9	10434/68	CR1	1940	2040	Single Non-Event (CM)	0.3	0.4	-0.1	26-Jun-17
A9	10434/68	CR1	2040	2140	Single Non-Event (CM)	0.34	0.4	-0.06	26-Jun-17
A9	10434/68	CR1	2140	2240	Single Non-Event (CM)	0.33	0.4	-0.07	26-Jun-17
A9	10434/68	CR1	2240	2340	Single Non-Event (CM)	0.34	0.4	-0.06	26-Jun-17
A9	10434/68	CR1	2340	2440	Single Non-Event (CM)	0.34	0.4	-0.06	26-Jun-17
A9	10434/68	CR1	2440	2540	Single Non-Event (CM)	0.34	0.4	-0.06	26-Jun-17
A9	10434/68	CR1	2540	2640	Single Non-Event (CM)	0.37	0.4	-0.03	26-Jun-17
A9	10434/68	CR1	2640	2740	Single Non-Event (CM)	0.39	0.4	-0.01	26-Jun-17
A9	10434/68	CR1	2740	2840	Single Non-Event (CM)	0.36	0.4	-0.04	26-Jun-17
A9	10434/68	CR1	2840	2940	Single Non-Event (CM)	0.37	0.4	-0.03	26-Jun-17
A9	10434/68	CR1	2940	3040	Single Non-Event (CM)	0.39	0.4	-0.01	26-Jun-17
A9	10434/68	CR1	3040	3140	Single Non-Event (CM)	0.38	0.4	-0.02	26-Jun-17
A9	10434/68	CR1	3140	3240	Single Non-Event (CM)	0.36	0.4	-0.04	26-Jun-17
A9	10434/68	CR1	3240	3340	Single Non-Event (CM)	0.37	0.4	-0.03	26-Jun-17
A9	10434/68	CR1	3340	3350	Single Non-Event (CM)	0.32	0.4	-0.08	26-Jun-17

Location Plan - Section Codes

- 10434/25
- 10434/68

