

Case No: 2019-0500 Date of visit: 04/09/2019

Time spent on site: 1hr Main Inspector:

Site No: FS1269 Site Name: Lochailort Recirculation Hatchery
Business No: FB0119 Business Name: Mowi Scotland Ltd

Case Types: 1 MIX 2 3 4 5 6

Water Temp (°C): Thermometer No: FHI 045 completed N

Observations: Region: HI Water type: F CoGP MA

Dead/weak/abnormally behaving fish present?
Clinical signs of disease observed?
Gross pathology observed?
Diagnostic samples taken?
If yes, see additional information/clinical score sheet.

UNI/REG only - if unable to carry out intended visit detail reason below:

**Additional Case Information:**

Site still currently has a mix licence, however, have not mixed any feed since last inspection (and since 2013).

Currently, no mixing equipment on site. This will be purchased prior to any mixing in the future.

Relevant documentation/SOPs were not available at time of inspection, and site manager was unsure as to who was the designated person for mixing at the time of inspection.

No training records for mixing were available at time of inspection.

Since last inspection (05/02/19), operator has submitted the requested documentation to VMD.

Evidence of a designated person for mixing, and training records demonstrating competence in mixing should be submitted to VMD and the Fish Health Inspectorate (MS.fishhealth@gov.scot) within 1 month of the date of issue of this report.

If these have not been received within the timeframe, a third inspection will be scheduled (at a cost to the operator) and may lead to an improvement notice being issued.

Information received and approved 16 March 2020.

Paperwork completed by [REDACTED] under [REDACTED] supervision.

Case No: 2019-0500

Date of visit: 04/09/2019

Site No: FS1269

Inspector: [redacted]

Results Summary	Freq.	Date of Notification						
		Database	Insp	Phone	Insp	Writing	Insp	2 <sup>nd</sup> Insp

Report Summary			
Case Type	Date	Insp	2 <sup>nd</sup> Insp
MIX	26/09/2019	[redacted]	[redacted]